

L Number	Hits	Search Text	DB	Time stamp
-	2	("6098171" "6487465").pn.	USPAT;	2004/03/08
-	0	6487465.URPN.	US-PGPUB	14:26
-	2	6098171.URPN.	USPAT	2004/03/08
-	2	6098171.URPN.	USPAT	14:35
-	2	6098171.URPN.	USPAT	2004/03/08
-	9	("4942606" "5097506" "5287519" "5359660" "5388156" "5410707" "5724027" "5742758" "5802318").PN.	USPAT	14:35
-	13	5742758.URPN.	USPAT	2004/03/10
-	1241	usb.ti.	USPAT;	20:44
-	372	usb.ti. and @ad<19991216	US-PGPUB;	2004/03/10
-	1723728	(usb or interface or protec\$4 or control\$4 or secur\$5).ti. and @ad<19991216	EPO; JPO;	20:47
-	1723728	(usb or interface or protec\$4 or control\$4 or secur\$5).ti. and @ad<19991216	DERWENT;	2004/03/10
-	12764	((usb or interface) and (protect\$4 or control\$4 or secur\$5)).ti. and @ad<19991216	IBM_TDB	20:50
-	103	((usb or interface) and (protect\$4 or control\$4 or secur\$5)).ti. and @ad<19991216) and (usb.ti. and @ad<19991216)	USPAT;	2004/03/10
-	3	((usb or interface) and (protect\$4 or control\$4 or secur\$5)).ti. and @ad<19991216) and (usb.ti. and @ad<19991216) and lock\$4	US-PGPUB;	20:51
-	0	2001054357.URPN.	EPO; JPO;	2004/03/10
-	1	"6487465"	DERWENT;	20:52
-	0	6487465.URPN.	IBM_TDB	2004/03/10
-	9	("4727476" "5022077" "5187792" "5388156" "5410707" "5634137" "5724027" "5742758" "6098171").PN.	USPAT;	2004/03/11
-	1	"6480097"	US-PGPUB;	20:53
-	0	6480097.URPN.	EPO; JPO;	2004/03/11
-	4928	(usb or (universal adj serial adj bus) or (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)	DERWENT;	10:39
-			IBM_TDB	2004/03/11
-			USPAT;	11:00
-			US-PGPUB	

-	4929	(usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)	USPAT; US-PGPUB	2004/03/11 13:01
-	1	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)) not ((usb or (universal adj serial adj bus) or (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4))	USPAT; US-PGPUB	2004/03/11 11:00
-	5	(usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4) and (dedicated adj keyboard)	USPAT; US-PGPUB	2004/03/11 12:32
-	37	"5327497"	USPAT; US-PGPUB	2004/03/11 12:33
-	4929	(usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)	USPAT; US-PGPUB	2004/03/11 13:02
-	364	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)) same (switch or relay) same (keyboard or input or device)	USPAT; US-PGPUB	2004/03/11 13:03
-	54	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)) same (switch or relay) same (keyboard or (input adj device))	USPAT; US-PGPUB	2004/03/11 13:12
-	19	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecur\$3 or protect\$3 or control\$4)) same (switch or relay) same (keyboard or (input adj device)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 13:26

-	2	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" with keyboard or (input adj device)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 13:29
-	19	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" or keyboard or (input adj device)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 13:29
-	58	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" or keyboard or input or (input adj device)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 13:36
-	14864	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" or keyboard or input or (input adj device)) and @ad<19991206) ot ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" or keyboard or (input adj device)) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 13:30
-	1292644	n	USPAT; US-PGPUB	2004/03/11 13:30
-	39	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" or keyboard or input or (input adj device)) and @ad<19991206) not ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3 or protect\$3 or control\$4)) same (switch or relay) same ("PS/2" or keyboard or (input adj device)) and @ad<19991206)	USPAT; US-PGPUB US-PGPUB	2004/03/11 13:30 2004/03/11 13:30

-	2	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface)(universal adj interface) or (universal adj port) (universal adj bus)) near2 (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3)) same (("PS/2" or keyboard or input or (input adj device) near2(disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 13:45
-	1	5952632.URPN.	USPAT	2004/03/11 13:44
-	18	("2929042" "3348102" "3476890" "3651464" "3710303" "3793957" "3957334" "3963301" "4017135" "4166667" "4327955" "4429201" "4695926" "4857001" "5308249" "5425649" "5442243" "5612634").PN.	USPAT	2004/03/11 13:44
-	31	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface)(universal adj interface) or (universal adj port) (universal adj bus)) near2 (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3)) and (switch or relay) same (("PS/2" or keyboard or input or (input adj device) near2(disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 13:54
-	4	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface)(universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) near2 (disabl\$3 or lock\$3 or secur\$3 or insecure\$3)) same (("PS/2" or keyboard or input or (input adj device) or peripheral)) near2 (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:03
-	36	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface)(universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3 or secur\$3 or insecure\$3)) same (("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:23
-	14	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface)(universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3 or secur\$3 or insecure\$3)) same (("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:24

-	22	((((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3 or secur\$3 or insecure\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3)) and @ad<19991206) not (((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3 or secur\$3 or insecure\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 14:24
-	0	((((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3 or secur\$3 or insecure\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206) not (((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3 or secur\$3 or insecure\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or enabl\$3 or lock\$3 or unlock\$3 or secur\$3 or insecure\$3)) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 14:24
-	14	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:25
-	27	((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) and (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:28

-	13	((((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) and (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206) not (((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 14:25
-	2761	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) and (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:28
-	1532	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same (((("PS/2" or keyboard or input or (input adj device) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:28
-	261	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same (((("PS/2" or keyboard or (key adj input) or peripheral)) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:29
-	92	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same (((("PS/2" or keyboard or (key adj input))) with (disabl\$3 or lock\$3 or unlock\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:29
-	72	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same (((("PS/2" or keyboard or (key adj input))) with (disabl\$3 or lock\$3 or unlock\$3)) and switch and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:30

-	20	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same((("PS/2" or keyboard or (key adj input))) with (disabl\$3 or lock\$3 or unlock\$3)) and switch and (power-on or post) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:49
-	20	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same((("PS/2" or keyboard or (key adj input)) or (invalid near2 password)) with (disabl\$3 or lock\$3 or unlock\$3)) and switch and (power-on or post) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 14:51
-	72	((usb or port (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (disabl\$3 or lock\$3))) same((("PS/2" or keyboard or (key adj input)) or (invalid near2 password)) with (disabl\$3 or lock\$3 or unlock\$3)) and switch and @ad<19991206	USPAT; US-PGPUB	2004/03/11 15:10
-	1	((standard or "ps/2") with (lock\$3 or disabl\$3)) same ((usb with port with (lock\$3 or disabl\$3))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 15:14
-	1	((standard or "ps/2") with (lock\$3 or disabl\$3)) same ((usb with port with (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 15:15
-	1	((standard or "ps/2") with (lock\$3 or disabl\$3)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 15:20
-	2	((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:14
-	17	((standard or "ps/2") same (lock\$3 or disabl\$3)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) same (port same (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 15:25

-	20	((standard or "ps/2") and (lock\$3 or disabl\$3)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) same (port same (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 15:25
-	3	((((standard or "ps/2") and (lock\$3 or disabl\$3)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) same (port same (lock\$3 or disabl\$3 or input))) and @ad<19991206) not (((standard or "ps/2") same (lock\$3 or disabl\$3)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) same (port same (lock\$3 or disabl\$3 or input))) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 15:30
-	3	"5569397"	USPAT; US-PGPUB	2004/03/11 15:31
-	18	"5802318"	USPAT; US-PGPUB	2004/03/11 15:31
-	17	5802318.URPN.	USPAT	2004/03/11 15:50
-	37	((((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4) or (external)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:15
-	50	(((((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4)) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206) not (((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4) or (external)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 16:17

-	0	(((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4)) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206) not (((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4) or (external)) same ((usb or (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206)) not (((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4)) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206)	USPAT; US-PGPUB	2004/03/11 16:17
-	52	(((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4)) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:25
-	2534	(((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4) (first adj input)) same ((usb or (second adj input) (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (port with (lock\$3 or disabl\$3 or input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:25
-	1485	(((standard or "ps/2") with (lock\$3 or disabl\$3)) or (input with prevent\$4)) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (lock\$3 or disabl\$3 or input)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:26
-	252	(((standard or "ps/2") with (lock\$3 or disabl\$3))) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (lock\$3 or disabl\$3 or input)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:27

-	244	((standard or "ps/2") with (lock\$3 or disabl\$3))) same ((usb or (external) (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (lock\$3 or disabl\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:28
-	4	((standard or "ps/2") with (lock\$3 or disabl\$3))) same ((usb (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (lock\$3 or disabl\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:30
-	4	((standard or "ps/2")(first adj input)) with (lock\$3 or disabl\$3)) same ((usb (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device)) with (lock\$3 or disabl\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:31
-	1131	((standard or "ps/2")(first adj input)) with (lock\$3 or disabl\$3)) same ((usb (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device) (second adj input)) with (lock\$3 or disabl\$3)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:31
-	2962560	((standard or "ps/2")(first adj input)) with (lock\$3 or disabl\$3)) same ((usb (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device) (second adj input)) with (lock\$3 or disabl\$3)) and usband @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:32
-	5	((standard or "ps/2")(first adj input)) with (lock\$3 or disabl\$3)) same ((usb (universal adj serial adj bus) or (universal adj serial adj port) (universal adj serial adj interface) (universal adj interface) or (universal adj port) (universal adj bus) (usb adj device) (second adj input)) with (lock\$3 or disabl\$3)) and usb and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:42
-	31	((monitor\$4) with (multiple or plurality or several or two or many) adj(input adj port)) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:45
-	0	((monitor\$4) with (multiple or plurality or several or two or many) adj(input adj port))and usb and @ad<19991206	USPAT; US-PGPUB	2004/03/11 16:46
-	1	((monitor\$4) with (multiple or plurality or several or two or many) adj(port))and usb and @ad<19991206	USPAT; US-PGPUB	2004/03/11 18:45
-	2	((prevent\$4 or prohibit\$3 or inhibit\$4) with (input or signal or password or data or information) with ((input adj device) or keyboard))) same ((usb or universal adj serial adj bus) with (disabl\$4 or lock\$4))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 19:22

-	5	((((prevent\$4 or prohibit\$3 or inhibit\$4) with (input or signal or password or data or information) with ((input adj device) or keyboard)) or ((invalid or match\$4 or validat\$4) with (password or code))) same ((usb or universal adj serial adj bus) with (disabl\$4 or lock\$4))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 19:56
-	5	((((prevent\$4 or prohibit\$3 or inhibit\$4) with (input or signal or password or data or information) with ((input adj device) or keyboard)) or ((invalid or match\$4 or validat\$4) with (password or code))) same ((usb or universal adj serial adj bus) with (disabl\$4 or lock\$4 or deactivat\$4))) and @ad<19991206	USPAT; US-PGPUB	2004/03/11 19:56
-	620	((lock\$3 or switch or controller or latch) with (usb)) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:28
-	547	((lock\$3 or switch or controller or latch) with (usb)) same (((computer or keyboard or bus disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:31
-	41761	((lock\$3 or switch or controller or latch) with (usb or serial or interface or (usb adj port))) same (((computer or keyboard or bus disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:32
-	1346	((lock\$3 or switch or controller or latch) with (usb or serial or interface or (usb adj port))) same (((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input)))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:34
-	315	((lock\$3 or switch or controller or latch)near2 (usb or serial or interface or (usb adj port))) same (((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input)))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:34
-	83	((lock\$3 or switch or controller or latch)near2 (usb or serial or interface or (usb adj port))) same (((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input)))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:38
-	315	((lock\$3 or switch or controller or latch)near2 (usb or serial or interface or (usb adj port))) same ((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:40
-	83	((lock\$3 or switch or controller or latch)near2 (usb or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 10:03
-	8	((lock\$3 or switch or controller or latch)near2 (usb or serial or (usb adj interface) or (serial adj interface) or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206	USPAT; US-PGPUB	2004/03/12 09:42
-	88	((lock\$3 or switch or controller or latch)near2 (usb or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206	USPAT; US-PGPUB	2004/03/12 10:06

-	80	((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206) not (((lock\$3 or switch or controller or latch)near2 (usB or serial or (usb adj interface) or (serial adj interface) or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206)	USPAT; US-PGPUB	2004/03/12 10:03
-	5	((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206) not (((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<19991206)	USPAT; US-PGPUB	2004/03/12 10:03
-	93	((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20011206	USPAT; US-PGPUB	2004/03/12 10:05
-	5	((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20011206) not (((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206)	USPAT; US-PGPUB	2004/03/12 10:05
-	1459	((lock\$3 or switch or controller or latch)with(usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206	USPAT; US-PGPUB	2004/03/12 10:08
-	79	((lock\$3 or switch or controller or latch)with(usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and usb and @ad<20001206	USPAT; US-PGPUB	2004/03/12 10:12
-	74	((lock\$3 or switch or controller or latch)with(usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and usb and @ad<20001206) not (((lock\$3 or switch or controller or latch)near2 (usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) near2 ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206)	USPAT; US-PGPUB	2004/03/12 10:08

-	1459	((lock\$3 or switch or controller or latch)with(usB or serial or interface or (usb adj port))) same ((computer or keyboard or bus) with ((disabl\$3 or lock\$3 or deactivat\$3) or (prevent\$3 with input))) and @ad<20001206	USPAT; US-PGPUB	2004/03/12 10:12
-	128	(usb with disabl\$4) same (keyboard with lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/12 15:47
-	128	(usb with disabl\$4) with (keyboard with lock\$4 or disabl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/12 15:48